Water Pollution

5 C Sentine 3/13/20 p9

Search Continues In Soquel Creek For Pollutants

pollutants dirtying Soquel Creek and seal the pipes from inside drags on.

cameras would be floated down creek. suspect sewer lines to determine whether they had leaks that might be poisoning the creek.

Talk of the cameras came officials reported attempts to trace pollution sources with dyes had turned up no information.

The dye was placed into pressurized sewer lines in the hope it might point out areas of pollution sources. But a search of the Soquel Creek lagoon failed to reveal any trace of the marking fluid.

up in the lagoon doesn't give its restrictions. the sewer lines a clean bill of The local board was concernhealth. Health and sanitation of- ed by the recent dismissal of ficials pointed out the process the state's suit against the Seaof filtering through earth may side Sanitation District for polluhave removed the detectable tion of Monterey Bay. elements of the solution.

Ray Talley, county environmental health officer, said his department is thinking of other forms of checking "even if it means bringing in a special team and maybe the use of radioactive materials."

Engineer Gene Delucchi said a crew could be imported for \$600 for one day's work to check

The search for the source of the lines with the TV cameras if leaks are detected.

Directors of the Capitola Sani- Directors decided to hold up tation District in a Thursday on the television tests until three night meeting were ready to final residences are tested to turn to television cameras to determine whether their sewer come up with the answers. The systems are leaking into the

> But everybody thought it was about time to get something done.

Supervisor Ralph Sanson said, about after county sanitation "I think we've got to get this cleared up."

> Capitola Councilman Ron Graves agreed. "We should get on with the work. The problem has existed for several years and it's time it was corrected."

Moving to another subject, the directors authorized preparation of a resolution urging the Central Coastal Regional Water Failure of the dye to turn Quality Control Board to enforce