Pollution Down But Lagoon Still Not Safe In Capitola

ples for fecal coliform (a pol- in the Esplanade area. lution indicator) in the lagoon area of Soquel Creek reveal the count has dropped considerably.

Sanitarian Richard Prince show could not build a dam at the the count has fallen at four lagoon's mouth until the water places in comparison to July 3 is cleaned up. samples. The July 25 counts were (with July 3 count in parenthisis): Esplanade testing ment and Capitola have found spot 460 (525); storm drain be- numerous violations of sanitalow Blue Gum Avenue 440 tion codes near the creek and (1000); behind Venetian Courts issued notices to correct the 295 (750); behind Disco 520 matter. (1000).

Other samples were taken at the Noble Gulch inlet to Soquel Creek and below the train trestle, where the count was 350 those three septic tank areas and 940, respectively.

Prince said the 940 count at the trestle "could be our numpigeons nest along the trestle. runs parallel to the creek.

after it found the county was corrections."

Latest results from test sam- 4000 per 100 mililiters of water

The state, which has recommended the maximum allowable count be 200 where there is Tests taken Friday by County swimming, told Capitola it

Since then the health depart-

The city recently found faulty septic tanks near the creek's banks for houses along Monterey Avenue. The count at was more than 3000, according to City Manager Ryder Ray.

Capitola also found two leaks ber one 'problem." Hundreds of on the main sewer line that

Last month the county health | Said Ray, "The count seems department posted as unsafe to be dropping since the county the lagoon area of the creek and city have issued notices for